ATEN Technology, Inc.
www.aten-usa.com

4-Port KVM w/cables Built-in and Audio, PS/2 CS64A

ATEN's CS64A PS/2 Audio KVM switch offers aÂ simple solution for those with more PCs than space. Use one keyboard, one monitor and one mouse to control four PCs, and share a speaker set. This self-powered KVM switch features mouse & keyboard emulation for error free booting and smooth transitions when switching. Since it is bus powered it is self contained and needs no power adapter.

Our patented VSE Video Signal Enhancement® technology provides rich, 32-bit color, and DDC2B compliance maintains your display settings when simultaneously booting, or switching computers.

The CS64A has molded in cables, so all you need to do is connect your monitor, mouse, keyboard and speakers to their console ports, then connect the 6 ft cables to your computers.Â A few simple keystrokes will allow you to switch directly to any computer in the installation, or initiate Auto scan to sequentially monitor each computer.

The CS64A supports Windows 2000/ XP/ Vista, Linux, Free BSD and virtually all operating systems compliant with VGA and PS/2 standards

Distributor Part NO. : Contact Aten for part number @ 949.428.1111

Features:

- One PS/2 console controls 4 computers
- Compact all-in-one design
- Attached 6 ft cables
- Supports powered 2.0 desktop speakers
- Max resolution to 2048 x 1536; DDC2B compliant
- Auto Scan function monitors computers at a user determined interval
- Bus powered - no power adapter needed
- Compatible with virtually all PS/2 and VGA compliant OS

Diagram :



Requirements:

- A VGA or Multisync monitor
- Computers with PS/2 keyboard and mouse connections*
- 2.0 Powered desktop speakers (optional)

* PS/2 to USB converters may be used if necessary

Package Content:

- 1x 4-Port PS/2 KVM Switch with Attached Cables
- 1x User Guide

Specification :

CPU Connectors	
Mouse	4 x 6-pin Mini-DIN Male (Green)
Keyboard	4 x 6-pin Mini-DIN Male (Purple)
Monitor	4 x HDB-15 Male (Blue)
Audio	4 x Mini Stereo Plug Male(Green)
Console Connectors	
Mouse	1 x 6-pin Mini-DIN Female (Green)
Keyboard	1 x 6-pin Mini-DIN Female (Purple)
Monitor	1 x HDB-15 Female (Blue)
Audio	1 x Mini Stereo Jack Female (Green)

LEDs	
Selected	4 x Green
Port Selection	Hotkey
Video Resolution	2048 x1536; DDC2B
Scan Interval	5 Seconds
Emulation	
Keyboard	PS/2
Mouse	PS/2
Computer Connections	
Direct	4
Cable Length	6ft [1.8m]
Environment	
Operation Temperature	0Â°~50Â°C
Storage Temperature	-20Â°~60Â°C
Humidity	0~80% RH, Non-condensing

Physical Properties	
Housing	Plastic
Case Weight	12.2 lbs. [5.5 kg]
Unit Weight	1.8 lbs [0.83 kg]
Unit Weight with package	2.2 lbs. (1.0 kg.)
Case Dimension	11 x 9 x 19.5 in [28.0 x 23.0 x 50.0 cm]
Case Qty	5
Unit Dimension	3.5 x 2.8 x 1 in [8.95 x 7.19 x 2.60cm]
Unit Package Dimensions	8.6 x 10.4 x 3.7 in [21.8 x 26.4 x 9.4 cm]